



## Claims

1. An electroluminescent device comprising an anode, a cathode and one or a plurality of organic compound layers sandwiched therebetween, in which said organic compound layers comprise an organic compound containing one or more pyrimidine moieties.
2. An electroluminescent device according to claim 1, wherein the organic compound is a pyrimidine compound of formula




(I), wherein

V is C<sub>6</sub>-C<sub>30</sub>aryl or C<sub>2</sub>-C<sub>30</sub>heteroaryl, which can be substituted or unsubstituted, in




particular, H, C<sub>1</sub>-C<sub>18</sub>alkyl; C<sub>1</sub>-C<sub>18</sub>alkyl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkenyl, C<sub>2</sub>-C<sub>18</sub>alkenyl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkynyl; C<sub>2</sub>-C<sub>18</sub>alkynyl which is substituted by E and/or interrupted by D; C<sub>1</sub>-C<sub>18</sub>alkoxy; C<sub>1</sub>-C<sub>18</sub>alkoxy which is substituted by E and/or interrupted by D; -SR<sup>5</sup>; -NR<sup>5</sup>R<sup>6</sup>;

W is C<sub>6</sub>-C<sub>30</sub>aryl or C<sub>2</sub>-C<sub>30</sub>heteroaryl, which can be substituted or unsubstituted, in




particular, H, C<sub>1</sub>-C<sub>18</sub>alkyl; C<sub>1</sub>-C<sub>18</sub>alkyl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkenyl, C<sub>2</sub>-C<sub>18</sub>alkenyl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkynyl; C<sub>2</sub>-C<sub>18</sub>alkynyl which is substituted by E and/or interrupted by D; C<sub>1</sub>-C<sub>18</sub>alkoxy; C<sub>1</sub>-C<sub>18</sub>alkoxy which is substituted by E and/or interrupted by D; -SR<sup>5</sup>; -NR<sup>5</sup>R<sup>6</sup>;

Y is C<sub>6</sub>-C<sub>30</sub>aryl or C<sub>2</sub>-C<sub>30</sub>heteroaryl, which can be substituted or unsubstituted, in




particular, H, C<sub>1</sub>-C<sub>18</sub>alkyl; C<sub>1</sub>-C<sub>18</sub>alkyl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkenyl, C<sub>2</sub>-C<sub>18</sub>alkenyl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkynyl; C<sub>2</sub>-C<sub>18</sub>alkynyl which is substituted by E and/or interrupted by D; C<sub>1</sub>-C<sub>18</sub>alkoxy; C<sub>1</sub>-C<sub>18</sub>alkoxy which is substituted by E and/or interrupted by D; -SR<sup>5</sup>; -NR<sup>5</sup>R<sup>6</sup>;

X is C<sub>6</sub>-C<sub>30</sub>aryl or C<sub>2</sub>-C<sub>30</sub>heteroaryl, which can be substituted or unsubstituted, in




particular, H, C<sub>1</sub>-C<sub>18</sub>alkyl; C<sub>1</sub>-C<sub>18</sub>alkyl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkenyl, C<sub>2</sub>-C<sub>18</sub>alkenyl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkynyl; C<sub>2</sub>-C<sub>18</sub>alkynyl which is substituted by E and/or interrupted by D; C<sub>1</sub>-C<sub>18</sub>alkoxy; C<sub>1</sub>-C<sub>18</sub>alkoxy which is substituted by E and/or interrupted by D; -SR<sup>5</sup>; -NR<sup>5</sup>R<sup>6</sup>; wherein the groups

V<sup>1</sup> to V<sup>5</sup>, W<sup>1</sup> to W<sup>5</sup>, X<sup>1</sup> to X<sup>5</sup> and Y<sup>1</sup> to Y<sup>5</sup> are independently of each other H; halogen, C<sub>6</sub>-C<sub>24</sub>aryl; C<sub>6</sub>-C<sub>24</sub>aryl which is substituted by G; C<sub>1</sub>-C<sub>18</sub>alkyl; C<sub>1</sub>-C<sub>18</sub>alkyl which is substituted by E and/or interrupted by D; C<sub>7</sub>-C<sub>18</sub>alkylaryl; C<sub>7</sub>-C<sub>18</sub>alkylaryl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkenyl; C<sub>2</sub>-C<sub>18</sub>alkenyl which is

substituted by E and/or interrupted by D; , wherein Ar<sup>1</sup> is C<sub>6</sub>-C<sub>30</sub>aryl or C<sub>2</sub>-C<sub>30</sub>heteroaryl, especially phenyl, Ar<sup>2</sup> is C<sub>6</sub>-C<sub>30</sub>aryl or C<sub>2</sub>-C<sub>30</sub>heteroaryl, especially phenyl, or H, C<sub>2</sub>-C<sub>18</sub>alkynyl; C<sub>2</sub>-C<sub>18</sub>alkynyl which is substituted by E and/or interrupted by D; C<sub>1</sub>-C<sub>18</sub>alkoxy, C<sub>1</sub>-C<sub>18</sub>alkoxy which is substituted by E and/or interrupted by D; -SR<sup>5</sup>; -NR<sup>5</sup>R<sup>6</sup>; C<sub>2</sub>-C<sub>24</sub>heteroaryl; C<sub>2</sub>-C<sub>24</sub>heteroaryl which is substituted by L; -SOR<sup>4</sup>; -SO<sub>2</sub>R<sup>4</sup>; -COR<sup>8</sup>; -COOR<sup>7</sup>; -CONR<sup>5</sup>R<sup>6</sup>; C<sub>4</sub>-C<sub>18</sub>cycloalkyl; C<sub>4</sub>-C<sub>18</sub>cycloalkyl which is substituted by E and/or interrupted by D; C<sub>4</sub>-C<sub>18</sub>cycloalkenyl; C<sub>4</sub>-C<sub>18</sub>cycloalkenyl which is substituted by E and/or interrupted by D; or


W<sup>5</sup> or Y<sup>5</sup> together with V form a group -CR<sup>9</sup><sub>2</sub>-, -CR<sup>9</sup><sub>2</sub>-CR<sup>9</sup><sub>2</sub>-, -C(=O)CR<sup>9</sup><sub>2</sub>-, -C(=O)-, or -CR<sup>9</sup>=CR<sup>9</sup>-, or

$W^5$  and  $Y^5$  together with V form a group




wherein  $R^9$  is H;  $C_1$ - $C_{18}$ alkyl,  $C_1$ - $C_{18}$ alkyl which is interrupted by  $-\text{O}-$ ,  $C_6$ - $C_{18}$ aryl,  $C_6$ - $C_{18}$ aryl which is substituted by  $C_1$ - $C_{18}$ alkyl, or  $C_1$ - $C_{18}$ alkoxy, or

5 one of the substituents V, W, X, or Y is a group of the formula  $-\text{Z}$ ,  $-\text{Ar}-\text{Z}$ , wherein Ar is  $C_6$ - $C_{24}$ aryl or  $C_2$ - $C_{24}$ heteroaryl, which can be substituted, in particular



10  $V^1$  to  $V^5$ ,  $W^1$  to  $W^5$ ,  $X^1$  to  $X^5$ , or  $Y^1$  to  $Y^5$  is a group of the formula  $-\text{Z}'$ ,  $-\text{Ar}-\text{Z}'$ , wherein Ar is  $C_6$ - $C_{24}$ aryl or  $C_2$ - $C_{24}$ heteroaryl, which can be substituted, in particular



15  $A^1$ ,  $B^1$  and  $B^2$  are independently of each other H;  $C_6$ - $C_{18}$ aryl;  $C_6$ - $C_{18}$ aryl which is substituted by G;  $C_1$ - $C_{18}$ alkyl;  $C_1$ - $C_{18}$ alkyl which is substituted by E and/or interrupted by D;  $C_7$ - $C_{18}$ alkylaryl;  $C_7$ - $C_{18}$ alkylaryl which is substituted by E and/or interrupted by D;  $C_2$ - $C_{18}$ alkenyl;  $C_2$ - $C_{18}$ alkenyl which is substituted by E and/or interrupted by D;  $C_2$ - $C_{18}$ alkynyl;  $C_2$ - $C_{18}$ alkynyl which is substituted by E and/or interrupted by D;

20  $C_1$ - $C_{18}$ alkoxy,  $C_1$ - $C_{18}$ alkoxy which is substituted by E and/or interrupted by D;  $-\text{SR}^5$ ;  $-\text{NR}^5\text{R}^6$ ;  $C_2$ - $C_{18}$ heteroaryl;  $C_2$ - $C_{18}$ heteroaryl which is substituted by L;  $-\text{SOR}^4$ ;  $-\text{SO}_2\text{R}^4$ ;

-COR<sup>8</sup>; -COOR<sup>7</sup>; -CONR<sup>5</sup>R<sup>6</sup>; C<sub>4</sub>-C<sub>18</sub>cycloalkyl; C<sub>4</sub>-C<sub>18</sub>cycloalkyl which is substituted by E and/or interrupted by D; C<sub>4</sub>-C<sub>18</sub>cycloalkenyl; C<sub>4</sub>-C<sub>18</sub>cycloalkenyl which is substituted by E and/or interrupted by D; or

two substituents A<sup>1</sup>, B<sup>1</sup>, B<sup>2</sup> or B<sup>1</sup> and B<sup>2</sup> form a five to seven membered ring, which can be substituted,

m is an integer of 1 to 4; and W<sup>1</sup>, W<sup>2</sup>, Y<sup>1</sup>, Y<sup>2</sup>, X<sup>1</sup>, X<sup>2</sup>, V, W, X and Y are as defined above;

D is -CO-; -COO-; -OCOO-; -S-; -SO-; -SO<sub>2</sub>-; -O-; -NR<sup>5</sup>-; -SiR<sup>5</sup>R<sup>6</sup>-; -POR<sup>5</sup>-; -CR<sup>5</sup>=CR<sup>6</sup>-; or -C≡C-;

E is -OR<sup>5</sup>; -SR<sup>5</sup>; -NR<sup>5</sup>R<sup>6</sup>; -COR<sup>8</sup>; -COOR<sup>7</sup>; -CONR<sup>5</sup>R<sup>6</sup>; -CN; -OCOOR<sup>7</sup>; or halogen;

G is E; K; heteroaryl; heteroaryl which is substituted by C<sub>6</sub>-C<sub>18</sub>aryl; C<sub>6</sub>-C<sub>18</sub>aryl which is substituted by E and/or K;

K is C<sub>1</sub>-C<sub>18</sub>alkyl; C<sub>1</sub>-C<sub>18</sub>alkyl which is substituted by E and/or interrupted by D; C<sub>7</sub>-

C<sub>18</sub>alkylaryl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkenyl; C<sub>2</sub>-

C<sub>18</sub>alkenyl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkynyl; C<sub>2</sub>-

C<sub>18</sub>alkynyl which is substituted by E and/or interrupted by D; C<sub>1</sub>-C<sub>18</sub>alkoxy, C<sub>1</sub>-

C<sub>18</sub>alkoxy which is substituted by E and/or interrupted by D; C<sub>4</sub>-C<sub>18</sub>cycloalkyl; C<sub>4</sub>-

C<sub>18</sub>cycloalkyl which is substituted by E and/or interrupted by D; C<sub>4</sub>-C<sub>18</sub>cycloalkenyl; or

C<sub>4</sub>-C<sub>18</sub>cycloalkenyl which is substituted by E and/or interrupted by D;



L is E; K; C<sub>6</sub>-C<sub>18</sub>aryl; or C<sub>6</sub>-C<sub>18</sub>aryl which is substituted by G, E and/or K;

R<sup>4</sup> is C<sub>6</sub>-C<sub>18</sub>aryl; C<sub>6</sub>-C<sub>18</sub>aryl which is substituted by C<sub>1</sub>-C<sub>18</sub>alkyl, C<sub>1</sub>-C<sub>18</sub>alkoxy; C<sub>1</sub>-C<sub>18</sub>alkyl; or C<sub>1</sub>-C<sub>18</sub>alkyl which is interrupted by -O-;

R<sup>5</sup> and R<sup>6</sup> are independently of each other H; C<sub>6</sub>-C<sub>18</sub>aryl; C<sub>6</sub>-C<sub>18</sub>aryl which is substituted by C<sub>1</sub>-C<sub>18</sub>alkyl, C<sub>1</sub>-C<sub>18</sub>alkoxy; C<sub>1</sub>-C<sub>18</sub>alkyl; or C<sub>1</sub>-C<sub>18</sub>alkyl which is interrupted by -O-;

or

~~R<sup>5</sup> and R<sup>6</sup>~~ together form a five or six membered ring, in particular




or

$R^7$  is H;  $C_6-C_{18}$ aryl;  $C_6-C_{18}$ aryl which is substituted by  $C_1-C_{18}$ alkyl,  $C_1-C_{18}$ alkoxy;  $C_1-C_{18}$ alkyl;  $C_1-C_{18}$ alkyl which is interrupted by  $-O-$ ;



$R^8$  is H;  $C_6-C_{18}$ aryl;  $C_6-C_{18}$ aryl which is substituted by  $C_1-C_{18}$ alkyl,  $C_1-C_{18}$ alkoxy;  $C_1-C_{18}$ alkyl;  $C_1-C_{18}$ alkyl which is interrupted by  $-O-$ .

- 5 or two substituents selected from  $V^1$  to  $V^5$ ,  $W^1$  to  $W^5$ ,  $X^1$  to  $X^5$ ,  $Y^1$  to  $Y^5$  which are in neighborhood to each other form a five to seven membered ring, with the proviso that at least one of the groups V, W, X and Y is a  $C_6-C_{24}$ aryl, or  $C_2-C_{24}$ heteroaryl group, which can be substituted.

- 10 3. An electroluminescent device according to claim 2, comprising a pyrimidine compound of formula




(III), wherein



15 Y is  $R^1$ , if X is  $X^1$ , or X is  $R^1$ , if Y is  $Y^1$ ,  $R^1$  is H,  $C_1-C_{18}$ alkyl;  $C_1-C_{18}$ alkyl which is substituted by E and/or interrupted by D;  $C_2-C_{18}$ alkenyl,  $C_2-C_{18}$ alkenyl which is substituted by E and/or interrupted by D;  $C_2-C_{18}$ alkynyl;  $C_2-C_{18}$ alkynyl which is substituted by E and/or interrupted by D;  $C_1-C_{18}$ alkoxy;  $C_1-C_{18}$ alkoxy which is substituted by E and/or interrupted by D;  $-SR^5$ ; or  $-NR^5R^6$ ; wherein  $W^1$  to  $W^5$ ,  $X^1$  to  $X^5$ ,  $Y^1$  to  $Y^5$ , E, D,  $R^5$  and  $R^6$  are as defined in claim 2; and V is H.

- 20 4. An electroluminescent device according to claim 2, comprising a pyrimidine compound of formula


82




(IV), wherein

V, W<sup>1</sup> to W<sup>5</sup>, X<sup>1</sup> to X<sup>5</sup> and Y<sup>1</sup> to Y<sup>5</sup> are as defined in claim 2, especially W<sup>3</sup>, X<sup>3</sup> and Y<sup>3</sup> are selected from the group consisting of C<sub>6</sub>-C<sub>24</sub>aryl; C<sub>6</sub>-C<sub>24</sub>aryl which is substituted by G; C<sub>2</sub>-C<sub>24</sub>heteroaryl; C<sub>2</sub>-C<sub>24</sub>heteroaryl which is substituted by L, C<sub>1</sub>-C<sub>18</sub>alkoxy, -SR<sup>5</sup>; -NR<sup>5</sup>R<sup>6</sup>, wherein G, L, R<sup>5</sup> and R<sup>6</sup> are as defined in claim 2, V is H, and W<sup>1</sup> and W<sup>5</sup>, Y<sup>1</sup> and Y<sup>5</sup> as well as X<sup>1</sup> and X<sup>5</sup> are independently of each other H; C<sub>1</sub>-C<sub>18</sub>alkyl; or C<sub>1</sub>-C<sub>18</sub>alkyl which is substituted by E and/or interrupted by D, wherein E and D are as defined in claim 2.


5. An electroluminescent device according to claim 2, wherein V is a group of the formula



, H, C<sub>1</sub>-C<sub>18</sub>alkyl; C<sub>1</sub>-C<sub>18</sub>alkyl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkenyl, C<sub>2</sub>-C<sub>18</sub>alkenyl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkynyl; C<sub>2</sub>-C<sub>18</sub>alkynyl which is substituted by E and/or interrupted by D; C<sub>1</sub>-C<sub>18</sub>alkoxy; C<sub>1</sub>-C<sub>18</sub>alkoxy which is substituted by E and/or interrupted by D; -SR<sup>5</sup>; or -NR<sup>5</sup>R<sup>6</sup>; and






is a group of the formula



particular, H, C<sub>1</sub>-C<sub>18</sub>alkyl; C<sub>1</sub>-C<sub>18</sub>alkyl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkenyl, C<sub>2</sub>-C<sub>18</sub>alkenyl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkynyl; C<sub>2</sub>-C<sub>18</sub>alkynyl which is substituted by E and/or interrupted by D; C<sub>1</sub>-C<sub>18</sub>alkoxy; C<sub>1</sub>-C<sub>18</sub>alkoxy which is substituted by E and/or

interrupted by D;  $-SR^5$ ; or  $-NR^5R^6$ ; wherein  $W^1$  to  $W^5$ , D,  $V^1$  to  $V^5$ , E,  $A^1$ ,  $B^1$ ,  $B^2$ ,  $R^5$ ,  $R^6$ , m and Z are as defined in claim 2 and  $R^{101}$  and  $R^{102}$  are independently of each other H,  $C_1$ - $C_8$ alkyl,  $C_6$ - $C_{24}$ aryl, or  $C_5$ - $C_7$ cycloalkyl, in particular H or  $C_{1-4}$ -alkyl.

- 5 6. An electroluminescent device according to claim 2, comprising a pyrimidine compound of formula



- 10 , or
- 15  $W^{11}$  to  $W^{15}$ ,  $W^{21}$  to  $W^{25}$ ,  $W^{31}$  to  $W^{35}$ ,  $W^{41}$  to  $W^{45}$ ,  $Y^{11}$  to  $Y^{15}$ ,  $Y^{21}$  to  $Y^{25}$ ,  $Y^{31}$  to  $Y^{35}$  and  $Y^{41}$  to  $Y^{45}$  are independently of each other H;  $C_6$ - $C_{24}$ aryl;  $C_6$ - $C_{24}$ aryl which is substituted by G;  $C_1$ - $C_{18}$ alkyl;  $C_1$ - $C_{18}$ alkyl which is substituted by E and/or interrupted by D;  $C_7$ - $C_{18}$ alkylaryl;  $C_7$ - $C_{18}$ alkylaryl which is substituted by E and/or interrupted by D;  $C_2$ - $C_{18}$ alkenyl;  $C_2$ - $C_{18}$ alkenyl which is substituted by E and/or interrupted by D;  $C_2$ - $C_{18}$ alkynyl;  $C_2$ - $C_{18}$ alkynyl which is substituted by E and/or interrupted by D;  $C_1$ -


C<sub>18</sub>alkoxy, C<sub>1</sub>-C<sub>18</sub>alkoxy which is substituted by E and/or interrupted by D; -SR<sup>5</sup>; -NR<sup>5</sup>R<sup>6</sup>; C<sub>2</sub>-C<sub>24</sub>heteroaryl; C<sub>2</sub>-C<sub>24</sub>heteroaryl which is substituted by L; -SOR<sup>4</sup>; -SO<sub>2</sub>R<sup>4</sup>; -COR<sup>8</sup>; -COOR<sup>7</sup>; -CONR<sup>5</sup>R<sup>6</sup>; C<sub>4</sub>-C<sub>18</sub>cycloalkyl; C<sub>4</sub>-C<sub>18</sub>cycloalkyl which is substituted by E and/or interrupted by D; C<sub>4</sub>-C<sub>18</sub>cycloalkenyl; C<sub>4</sub>-C<sub>18</sub>cycloalkenyl which is substituted by E and/or interrupted by D;

V is H; C<sub>6</sub>-C<sub>24</sub>aryl; C<sub>6</sub>-C<sub>24</sub>aryl which is substituted by G; C<sub>1</sub>-C<sub>18</sub>alkyl; C<sub>1</sub>-C<sub>18</sub>alkyl which is substituted by E and/or interrupted by D; C<sub>7</sub>-C<sub>18</sub>alkylaryl; C<sub>7</sub>-C<sub>18</sub>alkylaryl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkenyl; C<sub>2</sub>-C<sub>18</sub>alkenyl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkynyl; C<sub>2</sub>-C<sub>18</sub>alkynyl which is substituted by E and/or interrupted by D; C<sub>1</sub>-C<sub>18</sub>alkoxy, C<sub>1</sub>-C<sub>18</sub>alkoxy which is substituted by E and/or interrupted by D; -SR<sup>5</sup>; or -NR<sup>5</sup>R<sup>6</sup>; C<sub>2</sub>-C<sub>24</sub>heteroaryl; C<sub>2</sub>-C<sub>24</sub>heteroaryl which is substituted by L; -SOR<sup>4</sup>; -SO<sub>2</sub>R<sup>4</sup>; -COR<sup>8</sup>; -COOR<sup>7</sup>; -CONR<sup>5</sup>R<sup>6</sup>; C<sub>4</sub>-C<sub>18</sub>cycloalkyl; C<sub>4</sub>-C<sub>18</sub>cycloalkyl which is substituted by E and/or interrupted by D; C<sub>4</sub>-C<sub>18</sub>cycloalkenyl; C<sub>4</sub>-C<sub>18</sub>cycloalkenyl which is substituted by E and/or interrupted by D; A<sup>18</sup> and A<sup>19</sup> are independently of each other H, C<sub>1</sub>-C<sub>18</sub>alkyl; C<sub>1</sub>-C<sub>18</sub>alkyl which is substituted by E and/or interrupted by D; C<sub>6</sub>-C<sub>18</sub>aryl; C<sub>6</sub>-C<sub>18</sub>aryl which is substituted by E,

B<sup>11</sup> to B<sup>14</sup> and B<sup>21</sup> to B<sup>24</sup> are independently of each other H; C<sub>6</sub>-C<sub>18</sub>aryl; C<sub>6</sub>-C<sub>18</sub>aryl which is substituted by G; C<sub>1</sub>-C<sub>18</sub>alkyl; C<sub>1</sub>-C<sub>18</sub>alkyl which is substituted by E and/or interrupted by D; C<sub>7</sub>-C<sub>18</sub>alkylaryl; C<sub>7</sub>-C<sub>18</sub>alkylaryl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkenyl; C<sub>2</sub>-C<sub>18</sub>alkenyl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkynyl; C<sub>2</sub>-C<sub>18</sub>alkynyl which is substituted by E and/or interrupted by D; C<sub>1</sub>-C<sub>18</sub>alkoxy, C<sub>1</sub>-C<sub>18</sub>alkoxy which is substituted by E and/or interrupted by D; -SR<sup>5</sup>; -NR<sup>5</sup>R<sup>6</sup>; C<sub>2</sub>-C<sub>18</sub>heteroaryl; C<sub>2</sub>-C<sub>18</sub>heteroaryl which is substituted by L; -SOR<sup>4</sup>; -SO<sub>2</sub>R<sup>4</sup>; -COR<sup>8</sup>; -COOR<sup>7</sup>; or -CONR<sup>5</sup>R<sup>6</sup>; C<sub>4</sub>-C<sub>18</sub>cycloalkyl; C<sub>4</sub>-C<sub>18</sub>cycloalkyl which is substituted by E and/or interrupted by D; C<sub>4</sub>-C<sub>18</sub>cycloalkenyl; C<sub>4</sub>-C<sub>18</sub>cycloalkenyl which is substituted by E and/or interrupted by D, especially H; wherein D, E, G, L, R<sup>4</sup>, R<sup>5</sup>, R<sup>6</sup>, R<sup>7</sup> and R<sup>8</sup> are as defined in claim 2.

7. An electroluminescent device according to claim 2, wherein the pyrimidine compound has the following formula





wherein V is H, or C<sub>1</sub>-C<sub>8</sub>-alkyl,


X<sup>3</sup> and X<sup>4</sup> are independently of each other H, C<sub>1</sub>-C<sub>8</sub>alkyl, C<sub>1</sub>-C<sub>8</sub>alkoxy, C<sub>1</sub>-C<sub>8</sub>thioalkyl, or phenyl,


5 X<sup>5</sup> is H, or C<sub>1</sub>-C<sub>8</sub>alkoxy,

W<sup>5</sup> is H, C<sub>1</sub>-C<sub>8</sub>alkyl, or O(CH<sub>2</sub>)<sub>n1</sub>-X,

Y<sup>5</sup> is H, C<sub>1</sub>-C<sub>8</sub>alkyl, or O(CH<sub>2</sub>)<sub>n1</sub>-X,

10 Y<sup>3</sup>, Y<sup>4</sup>, W<sup>3</sup> and W<sup>4</sup> are independently of each other C<sub>1</sub>-C<sub>8</sub>alkyl, C<sub>1</sub>-C<sub>8</sub>alkoxy, C<sub>1</sub>-C<sub>8</sub>thioalkyl, halogen, in particular Br, phenyl, or O(CH<sub>2</sub>)<sub>n1</sub>-X, wherein n1 is an integer of 1 to 5 and X is -O-(CH<sub>2</sub>)<sub>m1</sub>CH<sub>3</sub>, -OC(O)-(CH<sub>2</sub>)<sub>m1</sub>CH<sub>3</sub>, -C(O)-O-C<sub>1</sub>-C<sub>8</sub>alkyl, -NR<sup>103</sup>R<sup>104</sup>, wherein m1 is an integer of 0 to 5 and R<sup>103</sup> and R<sup>104</sup> are independently of each other H, or C<sub>1</sub>-C<sub>8</sub>-alkyl, or R<sup>103</sup> and R<sup>104</sup> together form a five or six membered heterocyclic ring,

in particular  ; or the following formula



15 wherein V is H, or C<sub>1</sub>-C<sub>8</sub>alkyl,

W<sup>3</sup> is H, C<sub>1</sub>-C<sub>8</sub>alkyl, or C<sub>1</sub>-C<sub>8</sub>alkoxy,



X<sup>3</sup> is H, C<sub>1</sub>-C<sub>8</sub>alkoxy, phenyl or O(CH<sub>2</sub>)<sub>n1</sub>-X,

X<sup>5</sup> is H, C<sub>1</sub>-C<sub>8</sub>alkoxy, phenyl or O(CH<sub>2</sub>)<sub>n1</sub>-X,

Y<sup>3</sup> is H, C<sub>1</sub>-C<sub>8</sub>alkyl, or C<sub>1</sub>-C<sub>8</sub>alkoxy, wherein n1 is an integer of 1 to 4 and X is -

20 O-(CH<sub>2</sub>)<sub>m1</sub>CH<sub>3</sub>, -OC(O)-(CH<sub>2</sub>)<sub>m1</sub>CH<sub>3</sub>, -C(O)-O-C<sub>1</sub>-C<sub>8</sub>alkyl, wherein m1 is an integer of 0 to 5; or the following formula

86



wherein  $W^3$  and  $W^4$  are independently of each other H,  $-NR^{103}R^{104}$ ,  $C_1$ - $C_8$ thioalkyl, or  $C_1$ - $C_8$ alkoxy,

5  $Y^3$  and  $Y^4$  are independently of each other H,  $-NR^{103}R^{104}$ ,  $C_1$ - $C_8$ thioalkyl, or  $C_1$ - $C_8$ alkoxy, wherein  $R^{103}$  and  $R^{104}$  are independently of each other H, or  $C_1$ - $C_8$ alkyl.


$W^5$  is H,  $C_1$ - $C_8$ alkyl, or  $O(CH_2)_{n1}-X$ ,

$Y^5$  is H,  $C_1$ - $C_8$ alkyl, or  $O(CH_2)_{n1}-X$ ,


wherein  $n1$  is an integer of 1 to 5 and  $X$  is  $-O-(CH_2)_{m1}CH_3$ ,  $-OC(O)-(CH_2)_{m1}CH_3$ ,

10  $-C(O)-O-C_1$ - $C_8$ alkyl,  $-NR^{103}R^{104}$ , wherein  $m1$  is an integer of 0 to 5 and  $R^{103}$  and  $R^{104}$  are independently of each other H, or  $C_1$ - $C_8$ alkyl, or  $R^{103}$  and  $R^{104}$  together form a five

or six membered heterocyclic ring, in particular



; or the following formula




wherein  $W^3$  is H,  $-NR^{103}R^{104}$ ,  $C_1$ - $C_8$ thioalkyl, or  $C_1$ - $C_8$ alkoxy,

87


$Y^3$  is H,  $-NR^{103}R^{104}$ ,  $C_1$ - $C_8$ thioalkyl, or  $C_1$ - $C_8$ alkoxy, wherein  $R^{103}$  and  $R^{104}$  are independently of each other H, or  $C_1$ - $C_8$ alkyl,

$R^{101}$  and  $R^{102}$  are independently of each other H,  $C_1$ - $C_8$ alkyl, phenyl, or  $C_5$ - $C_7$ cycloalkyl, in particular cyclohexyl; or the following formula



wherein  $Y^3$  is H,  $-NR^{103}R^{104}$ ,  $C_1$ - $C_8$ thioalkyl, or  $C_1$ - $C_8$ alkoxy,


$X^3$  is H,  $-NR^{103}R^{104}$ ,  $C_1$ - $C_8$ thioalkyl, or  $C_1$ - $C_8$ alkoxy, wherein  $R^{103}$  and  $R^{104}$  are independently of each other H, or  $C_1$ - $C_8$ alkyl; or the following formula




$Y^3$  is H,  $-NR^{103}R^{104}$ ,  $C_1$ - $C_8$ thioalkyl, or  $C_1$ - $C_8$ alkoxy,

$X^3$  is H,  $-NR^{103}R^{104}$ ,  $C_1$ - $C_8$ thioalkyl, or  $C_1$ - $C_8$ alkoxy, wherein  $R^{103}$  and  $R^{104}$  are independently of each other H, or  $C_1$ - $C_8$ alkyl, and  $R^{101}$  and  $R^{102}$  are independently of each other H,  $C_1$ - $C_8$ alkyl, phenyl, or  $C_5$ - $C_7$ cycloalkyl, in particular cyclohexyl.

8. An electroluminescent device according to claim 2, wherein W and Y are groups of the formula




88




9. An electroluminescent device according to claim 2, comprising a pyrimidine compound of formula

5




10. An electroluminescent device according to claim 2, comprising a pyrimidine compound of formula I, wherein V is hydrogen, W and Y are independently of each other a group of formula


10



89



X is a group of formula




, wherein  
 $R^{11}$ ,  $R^{12}$ ,  $R^{13}$ ,  $R^{14}$ ,  $R^{15}$ ,  $R^{16}$  and  $R^{17}$  are independently of each other H,  $C_6$ - $C_{18}$ aryl;  $C_6$ - $C_{18}$ aryl which is substituted by E; E,  $C_1$ - $C_{18}$ alkyl;  $C_1$ - $C_{18}$ alkyl which is substituted by E and/or interrupted by D;  $C_6$ - $C_{18}$ aryl;  $C_6$ - $C_{18}$ aryl which is substituted by E;  
 $R^{18}$  and  $R^{19}$  are independently of each other H,  $C_1$ - $C_{18}$ alkyl;  $C_1$ - $C_{18}$ alkyl which is substituted by E and/or interrupted by D;  $C_6$ - $C_{18}$ aryl;  $C_6$ - $C_{18}$ aryl which is substituted by E;

D is  $-CO-$ ;  $-COO-$ ;  $-OCOO-$ ;  $-S-$ ;  $-SO-$ ;  $-SO_2-$ ;  $-O-$ ;  $-NR^5-$ ;  $-SiR^5R^6-$ ;  $-POR^5-$ ;  $-CR^5=CR^6-$ ; or  $-C\equiv C-$ ;


E is  $-OR^5$ ;  $-SR^5$ ;  $-NR^5R^6$ ;  $-COR^8$ ;  $-COOR^7$ ;  $-CONR^5R^6$ ;  $-CN$ ;  $-OCOOR^7$ ; or halogen;

wherein  
 $R^5$ ,  $R^6$ ,  $R^7$  and  $R^8$  are as defined in claim 2.


11. An electroluminescent device according to claim 2, comprising a pyrimidine compound of formula



$R^{110}$  is  $C_6$ - $C_{10}$ -aryl,  $C_6$ - $C_{10}$ -aryl which is substituted by  $C_1$ - $C_6$ -alkyl,  $C_1$ - $C_4$ -alkoxy





90



X<sup>3</sup> is H, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, Ph, or

5


12. A pyrimidine compound of formula




V, W<sup>1</sup> to W<sup>5</sup>, X<sup>1</sup> to X<sup>5</sup> and Y<sup>1</sup> to Y<sup>5</sup> are as defined in claim 2.

10



13. A pyrimidine compound of formula



91





(VII), wherein



Ar is a group of formula

, or

, especially



, or

W<sup>11</sup> to W<sup>15</sup>, W<sup>21</sup> to W<sup>25</sup>, W<sup>31</sup> to W<sup>35</sup>, W<sup>41</sup> to W<sup>45</sup>, Y<sup>11</sup> to Y<sup>15</sup>, Y<sup>21</sup> to Y<sup>25</sup>, Y<sup>31</sup> to Y<sup>35</sup> and Y<sup>41</sup> to Y<sup>45</sup> are independently of each other H; C<sub>6</sub>-C<sub>24</sub>aryl; C<sub>6</sub>-C<sub>24</sub>aryl which is substituted by G; C<sub>1</sub>-C<sub>18</sub>alkyl; C<sub>1</sub>-C<sub>18</sub>alkyl which is substituted by E and/or interrupted by D; C<sub>7</sub>-C<sub>18</sub>alkylaryl; C<sub>7</sub>-C<sub>18</sub>alkylaryl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkenyl; C<sub>2</sub>-C<sub>18</sub>alkenyl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkynyl; C<sub>2</sub>-C<sub>18</sub>alkynyl which is substituted by E and/or interrupted by D; C<sub>1</sub>-C<sub>18</sub>alkoxy, C<sub>1</sub>-C<sub>18</sub>alkoxy which is substituted by E and/or interrupted by D; -SR<sup>5</sup>; -NR<sup>5</sup>R<sup>6</sup>; C<sub>2</sub>-C<sub>24</sub>heteroaryl; C<sub>2</sub>-C<sub>24</sub>heteroaryl which is substituted by L; -SOR<sup>4</sup>; -SO<sub>2</sub>R<sup>4</sup>; -COR<sup>8</sup>; -COOR<sup>7</sup>; -CONR<sup>5</sup>R<sup>6</sup>; C<sub>4</sub>-C<sub>18</sub>cycloalkyl; C<sub>4</sub>-C<sub>18</sub>cycloalkyl which is substituted by E and/or interrupted by D; C<sub>4</sub>-C<sub>18</sub>cycloalkenyl; C<sub>4</sub>-C<sub>18</sub>cycloalkenyl which is substituted by E and/or interrupted by D;

V is H; C<sub>6</sub>-C<sub>24</sub>aryl; C<sub>6</sub>-C<sub>24</sub>aryl which is substituted by G; C<sub>1</sub>-C<sub>18</sub>alkyl; C<sub>1</sub>-C<sub>18</sub>alkyl which is substituted by E and/or interrupted by D; C<sub>7</sub>-C<sub>18</sub>alkylaryl; C<sub>7</sub>-C<sub>18</sub>alkylaryl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkenyl; C<sub>2</sub>-C<sub>18</sub>alkenyl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkynyl; C<sub>2</sub>-C<sub>18</sub>alkynyl which is substituted by E and/or interrupted by D; C<sub>1</sub>-C<sub>18</sub>alkoxy, C<sub>1</sub>-C<sub>18</sub>alkoxy which is substituted by E and/or interrupted by D; -SR<sup>5</sup>; or -NR<sup>5</sup>R<sup>6</sup>; C<sub>2</sub>-C<sub>24</sub>heteroaryl; C<sub>2</sub>-C<sub>24</sub>heteroaryl which is substituted by L; -SOR<sup>4</sup>; -SO<sub>2</sub>R<sup>4</sup>; -COR<sup>8</sup>; -COOR<sup>7</sup>; -CONR<sup>5</sup>R<sup>6</sup>;


C<sub>4</sub>-C<sub>18</sub>cycloalkyl; C<sub>4</sub>-C<sub>18</sub>cycloalkyl which is substituted by E and/or interrupted by D; C<sub>4</sub>-C<sub>18</sub>cycloalkenyl; C<sub>4</sub>-C<sub>18</sub>cycloalkenyl which is substituted by E and/or interrupted by D; A<sup>18</sup> and A<sup>19</sup> are independently of each other H, C<sub>1</sub>-C<sub>18</sub>alkyl; C<sub>1</sub>-C<sub>18</sub>alkyl which is substituted by E and/or interrupted by D; C<sub>6</sub>-C<sub>18</sub>aryl; C<sub>6</sub>-C<sub>18</sub>aryl which is substituted by E,

B<sup>11</sup> to B<sup>14</sup> and B<sup>21</sup> to B<sup>24</sup> are independently of each other H; C<sub>6</sub>-C<sub>18</sub>aryl; C<sub>6</sub>-C<sub>18</sub>aryl which is substituted by G; C<sub>1</sub>-C<sub>18</sub>alkyl; C<sub>1</sub>-C<sub>18</sub>alkyl which is substituted by E and/or interrupted by D; C<sub>7</sub>-C<sub>18</sub>alkylaryl; C<sub>7</sub>-C<sub>18</sub>alkylaryl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkenyl; C<sub>2</sub>-C<sub>18</sub>alkenyl which is substituted by E and/or interrupted by D; C<sub>2</sub>-C<sub>18</sub>alkynyl; C<sub>2</sub>-C<sub>18</sub>alkynyl which is substituted by E and/or interrupted by D; C<sub>1</sub>-C<sub>18</sub>alkoxy, C<sub>1</sub>-C<sub>18</sub>alkoxy which is substituted by E and/or interrupted by D; -SR<sup>5</sup>; -NR<sup>5</sup>R<sup>6</sup>; C<sub>2</sub>-C<sub>18</sub>heteroaryl; C<sub>2</sub>-C<sub>18</sub>heteroaryl which is substituted by L; -SOR<sup>4</sup>; -SO<sub>2</sub>R<sup>4</sup>; -COR<sup>8</sup>; -COOR<sup>7</sup>; or -CONR<sup>5</sup>R<sup>6</sup>; C<sub>4</sub>-C<sub>18</sub>cycloalkyl; C<sub>4</sub>-C<sub>18</sub>cycloalkyl which is substituted by E and/or interrupted by D; C<sub>4</sub>-C<sub>18</sub>cycloalkenyl; C<sub>4</sub>-C<sub>18</sub>cycloalkenyl which is substituted by E and/or interrupted by D; wherein D, E, G, L, R<sup>4</sup>, R<sup>5</sup>, R<sup>6</sup>, R<sup>7</sup> and R<sup>8</sup> are as defined in claim 2.


14. A pyrimidine compound of formula I according to claim 12, wherein




at least one of the groups W, X and Y is a group of formula



and the other groups are independently of each other an aryl group or a heteroaryl




group, especially a group of formula




5 , wherein

10  $R^{11}$ ,  $R^{11'}$ ,  $R^{12}$ ,  $R^{12'}$ ,  $R^{13}$ ,  $R^{13'}$ ,  $R^{15}$ ,  $R^{15'}$ ,  $R^{16}$ ,  $R^{16'}$ ,  $R^{17}$ ,  $R^{17'}$ ,  $R^{41}$ ,  $R^{41'}$ ,  $R^{42}$ ,  $R^{42'}$ ,  $R^{44}$ ,  $R^{44'}$ ,  $R^{45}$ ,  $R^{45'}$ ,  $R^{46}$ ,  $R^{46'}$ ,  $R^{47}$  and  $R^{47'}$  are independently of each other H, E,  $C_6$ - $C_{18}$ aryl;  $C_6$ - $C_{18}$ aryl which is substituted by E;  $C_1$ - $C_{18}$ alkyl;  $C_1$ - $C_{18}$ alkyl which is substituted by E and/or interrupted by D;  $C_7$ - $C_{18}$ aralkyl; or  $C_7$ - $C_{18}$ aralkyl which is substituted by E; or  $R^{11'}$  and  $R^{12}$ ,  $R^{12'}$  and  $R^{13}$ ,  $R^{15'}$  and  $R^{16}$ ,  $R^{16'}$  and  $R^{17}$ ,  $R^{44'}$  and  $R^{46}$  and/or  $R^{45'}$  and  $R^{47}$  are each a divalent group  $L^1$  selected from an oxygen atom, an sulfur atom,  $>CR^{118}R^{119}$

$>SiR^{118}R^{119}$ , or , wherein


$R^{118}$  and  $R^{119}$  are independently of each other  $C_1$ - $C_{18}$ alkyl;  $C_1$ - $C_{18}$ alkoxy,  $C_6$ - $C_{18}$ aryl;  $C_7$ - $C_{18}$ aralkyl;

15  $R^{11}$  and  $R^{11'}$ ,  $R^{12}$  and  $R^{12'}$ ,  $R^{13}$  and  $R^{13'}$ ,  $R^{13'}$  and  $R^{14}$ ,  $R^{14}$  and  $R^{15}$ ,  $R^{15}$  and  $R^{15'}$ ,  $R^{16}$  and  $R^{16'}$ ,  $R^{17'}$  and  $R^{17}$ ,  $R^{41}$  and  $R^{41'}$ ,  $R^{42}$  and  $R^{42'}$ ,  $R^{42'}$  and  $R^{43}$ ,  $R^{41'}$  and  $R^{43}$ ,  $R^{44}$  and  $R^{44'}$ ,  $R^{45}$  and  $R^{45'}$ ,  $R^{46}$  and  $R^{46'}$ ,  $R^{47}$  and  $R^{47'}$ ,  $R^{46'}$  and  $R^{48}$  and/or  $R^{47'}$  and  $R^{48}$  are each a divalent

group , wherein

20  $R^{30}$ ,  $R^{31}$ ,  $R^{32}$ ,  $R^{33}$ ,  $R^{49}$  and  $R^{50}$  are independently of each other H,  $C_1$ - $C_{18}$ alkyl;  $C_1$ - $C_{18}$ alkyl, which is substituted by E and/or interrupted by D; E;  $C_6$ - $C_{18}$ aryl;  $C_6$ - $C_{18}$ aryl, which is substituted by E;

$R^{14}$  is H,  $C_2$ - $C_{30}$ heteroaryl,  $C_6$ - $C_{30}$ aryl, or  $C_6$ - $C_{30}$ aryl which is substituted by E,  $C_1$ - $C_{18}$ alkyl; or  $C_1$ - $C_{18}$ alkyl which is substituted by E and/or interrupted by D; especially




, wherein  $R^{21}$ ,  $R^{22}$ ,  $R^{23}$ ,  $R^{24}$ ,  $R^{25}$ ,  $R^{26}$  and  $R^{27}$  are independently of each other H, E,  $C_1$ - $C_{18}$ alkyl;  $C_1$ - $C_{18}$ alkyl which is substituted by E and/or interrupted by D; E;  $C_7$ - $C_{18}$ aralkyl;  $C_7$ - $C_{18}$ aralkyl which is substituted by E;


$R^{43}$  and  $R^{48}$  are independently of each other H, E;  $C_1$ - $C_{18}$ alkyl;  $C_1$ - $C_{18}$ alkyl, which is substituted by E and/or interrupted by D;  $C_2$ - $C_{30}$ heteroaryl;  $C_7$ - $C_{18}$ aralkyl;  $C_7$ - $C_{18}$ aralkyl which is substituted by E;

D is  $-\text{CO}-$ ;  $-\text{COO}-$ ;  $-\text{OCOO}-$ ;  $-\text{S}-$ ;  $-\text{SO}-$ ;  $-\text{SO}_2-$ ;  $-\text{O}-$ ;  $-\text{NR}^5-$ ;  $\text{SiR}^5\text{R}^6-$ ;  $-\text{POR}^5-$ ;  $-\text{CR}^9=\text{CR}^{10}-$ ; or  $-\text{C}\equiv\text{C}-$ ;

E is  $-\text{OR}^5$ ;  $-\text{SR}^5$ ;  $-\text{NR}^5\text{R}^6$ ;  $-\text{COR}^8$ ;  $-\text{COOR}^7$ ;  $-\text{CONR}^5\text{R}^6$ ;  $-\text{CN}$ ; or halogen, especially F, or Cl; wherein  $R^5$  and  $R^6$  are independently of each other  $C_6$ - $C_{18}$ aryl;  $C_6$ - $C_{18}$ aryl which is substituted by  $C_1$ - $C_{18}$ alkyl,  $C_1$ - $C_{18}$ alkyl; or  $C_1$ - $C_{18}$ alkyl which is interrupted by  $-\text{O}-$ ; or



$R^5$  and  $R^6$  together form a five or six membered ring, in particular





$R^7$  is  $C_6$ - $C_{18}$ aryl;  $C_6$ - $C_{18}$ aryl which is substituted by  $C_1$ - $C_{18}$ alkyl,  $C_1$ - $C_{18}$ alkyl; or  $C_1$ - $C_{18}$ alkyl which is interrupted by  $-\text{O}-$ ;

$R^8$  is  $C_7$ - $C_{12}$ alkylaryl;  $C_1$ - $C_{18}$ alkyl; or  $C_1$ - $C_{18}$ alkyl which is interrupted by  $-\text{O}-$ ; and

$R^9$  and  $R^{10}$  are independently of each other H,  $C_6$ - $C_{18}$ aryl;  $C_6$ - $C_{18}$ aryl which is substituted by  $C_1$ - $C_{18}$ alkyl,  $C_1$ - $C_{18}$ alkyl; or  $C_1$ - $C_{18}$ alkyl which is interrupted by  $-\text{O}-$ .

15. A pyrimidine compound according to claim 14, wherein V is hydrogen,


W and Y are a group of formula




or ,and

95

**X is a group of formula**





- 16. A pyrimidine compound according to claim 12 of formula**



A benzene ring with a substituent  $R^{110}$  at the top position. A dashed line extends from the bottom position of the ring.

, wherein


R<sup>110</sup> is C<sub>6</sub>-C<sub>10</sub>-aryl, such as phenyl, 1-naphthyl, 2-naphthyl, 3- or 4-biphenyl, 9-phenanthryl, 2- or 9-fluorenyl, which is optionally substituted by C<sub>1</sub>-C<sub>6</sub>-alkyl, or C<sub>1</sub>-C<sub>4</sub>-



**heteroaryl, especially**

**, and**

96



$X^3$  is H,  $C_1$ - $C_8$ -alkyl,  $C_1$ - $C_4$ -alkoxy, Ph, or